INDEX

INTRODUCTION

- OUR STORY
- CUSTOM FIREPLACES

INDOOR COLLECTION

- AUTOMATIC BEV® FIREPLACES
- WATER VAPOUR & ELECTRIC FIREPLACES
- GAS FIREPLACES

OUTDOOR COLLECTION

- AUTOMATIC BEV® FIREPLACES
- GAS FIREPLACES
- COMMERCE® FIREPLACES





ourstory

Over 20 years ago, a simple bonfire beneath the iconic Ayers Rock in Australia ignited a vision. Inspired by the captivating flames and ancient Aboriginal tales, Alfred Weilandt and Jerry Dąbrowski set out to create a way to bring fire into contemporary interiors—without the soot, ash, or need for a chimney. This idea led to the development of automatic bioethanol fireplaces, combining advanced technology, safety, and the timeless appeal of natural flames. Powered by our patented BEV® Technology, these fireplaces burn cleanly and efficiently, offering a modern, environmentally friendly solution for creating a warm, inviting atmosphere.

As our expertise grew, so did our portfolio. To complement our bioethanol fireplaces, we introduced additional technologies: gas fireplaces for easy installation and reliable performance, water vapour fireplaces for a lifelike, emission-free flame effect using only water and light, and electric fireplaces with customizable LED flames. While bioethanol remains the heart of what we do, these innovations allow us to meet diverse needs and enhance the possibilities of fire design in any space.

At the core of Planika's success is a dedication to quality, sustainability, and family values. A few years ago, Jarosław Dąbrowski's daughter, Patrycja Gierak, joined our team, bringing fresh energy to the legacy of craftsmanship and trust. Our team operates without hierarchy, ensuring creativity and passion guide every product we create.

With a presence in over 100 countries and a focus on ecological responsibility, Planika continues to lead the way in advanced fire technologies—delivering solutions that combine innovation, design, and respect for the environment.

~This made it possible to give you truly unique solutions in fire design.

Planika


CUSTOM FIREPLACES

SKY IS THE LIMIT

Choose from our range of chimney-free fireplaces and tailor the solution to fit your project. Customize the color, finish, shape, length, and flame type. It's your project, your rules—we provide the solutions.

COLOUR AND FINISH OF A BURNER

Choose any RAL colour and one of three finishes - Matte, Silk or Gloss.









TECHNOLOGY


Choose the perfect technology for your project. BEV bio fireplaces offer a clean, eco-friendly flame, water vapor fireplaces create a realistic fire effect without heat, and LED technology gives full control over the fire's appearance.



CUSTOM FIREPLACES


SHAPE OF A BURNER

Personalize the shape to harmonize with the interior. Every detail is in your hands, allowing everything to align with your aesthetics and project needs.



DIMENSIONS OF A BURNER

Tailor the length of the burner to perfectly fit your space. Whether you need a compact or extended size, we offer flexibility in dimensions to match the scale of your project.



PROJECT DEPARTMENT

Our Project Department offers free project reviews to ensure safe distances and finishes. As part of your project, we can meet nearly any need and bring almost any idea to life.






BEV® TECHNOLOGY

GAME-CHANGING INNOVATION IN FIREPLACE INDUSTRY

The BEV® technology is the most advanced technology on the fireplace market and it has revolutionized the industry. It is now possible to have a line of fire in a media wall under TV, in an apartment on a higher floor, arranged as a room divider or even on a yacht. For years now, this innovative solution has been taking projects with real fire to the next level. You can use fireplaces with the BEV® technology anywhere you want, without any limitations. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

PLANIKA AUTOMATIC FIRE





WITHOUT CHIMNEY



no smell, no soot, no ash



NO CONTACT BETWEEN FUEL AND FIRE



N CONTROLLED BY MOBILE APP OR A REMOTE



AUTOMATIC REFUELLING



SAFETY SENSORS



REAL FIRE



EASY INSTALLATION

HOW DOES THE BEV® TECHNOLOGY WORK?

The entire burning process is fully automated. The fireplace takes only the required amount of fuel from the tank and the pump transports it to the combustion chamber. The bioethanol is vapourised and distributed along the entire length of the burner where it is then combusted. The fire does not come in any direct contact with the liquid fuel. Thanks to the isolated fuel tank, the cooling fans and the combustion chamber, the temperature of the ethanol fuel is always low and safe.

The microprocessor communicates with many sensors inside the fireplace and controls its entire operation. The fireplace informs you of any actions with a sound signal and a message in the mobile app. The convenient remote control of the fireplace eliminates any risk of human error.

NET ZERO®

CARBON NEUTRAL SOLUTION FOR PREMIUM DESIGN


Planika's mission is to create safe fireplaces that leave little to no impact on the environment. Our automatic fireplaces with the BEV® technology are fuelled with bioethanol - organic eco-fuel. This allows to use our products where traditional fireplaces are prohibited by the environmental restrictions. Planika has developed the cutting-edge solution - the true CO_2 - neutral fireplaces of the future.

WHAT IS FANOLA FUEL?



- 96% ethanol concentration
- odourless and clean combustion
- plant-origin distillate
- particulate-free
- multi-distillated
- pharmaceutical quality
- 🧹 natural, golden flame

HOW ARE PLANIKA'S BEV® FIREPLACES CO, NEUTRAL?



Planika's fireplaces utilize multi-rectified bioethanol which is made from plants, such as wheat, corn or potatoes. The BEV® Technology turns liquid fuel into ethanol vapours to provide the safest combustion process and

the most natural fire. The clean burning of ethanol vapours emits only a small amount of CO_2 – similar to that exhaled by a human. No ash, soot, or smoke are produced. 100% of the emissions are absorbed by the same plants that are used to produce the biofuel. This way the carbon emission process comes full circle.



WORK WITH PROFFESIONALS



TECHNICAL TRAININGS



ARCHITECT ZONE WITH 3D MODELS




PROJECT SUPPORT




AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)

FIRE LINE AUTOMATIC 4 (FLA4 BURNER)



FIRE LINE AUTOMATIC 4+ (FLA4+ BURNER)



FEATURES

- Automatic refilling system
- Remote control
- Touch control panel
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Variant with larger fuel tank (FLA4+)
- Smart Home System compatible
- CO₂ sensor
- Top finish:
 - -Black powder coating (standard)
 - -Stainless steel (optional)
 - -RAL colour (optional)

OPTIONAL ACCESSORIES

- Glass screens
- Decorative tray with logs or stones
- Smart Home System module
- Adaptive frame with glass screens for Freestanding, Tunnel, Room Divider and Island arrangements



















SINO	GLE-	SID	FD	
911 44	JLL-	910	LD	

LEFT / RIGHT CORNER


THREE-SIDED

AGAINST **T**HE **W**ALL

FREESTANDING

TUNNEL

	FLA4 / FLA4+						
WHITE WE	590 mm	790 mm	990 mm	1190 mm	1490 mm	1990 mm	2490 mm
+4+	max. 3.1 kW	max. 4.4 kW	max. 7.0 kW	max. 9.4 kW	max. 13.0 kW	max. 18.0 kW	max. 22.5 kW
٥	3.1 L / 9.6 L	4.3 L / 13.4 L	5.5 L / 17.2 L	6.8 L / 21.0 L	8.6 L / 26.8 L	11.7 L / 36.3 L	14.8 L / 45.9 L
L o	max. 5.0 h / 16.0 h	max. 8.0 h / 25.0 h	max. 8.0 h / 26.0 h	max. 9.0 h / 30.0 h	max. 9.0 h / 30.0 h	max. 10.0 h / 31.0 h	max. 10.0 h / 31.0 h
1	min. 31 m³	min. 44 m³	min. 70 m ³	min. 94 m³	min. 130 m ³	min. 180 m ³	min. 225 m ³
i	19.9 kg / 22.4 kg	24.1 kg / 32.0 kg	27.5 kg / 38.5 kg	33.0 kg / 44.0 kg	39.5 kg / 52.5 kg	49.5 kg / 67.5 kg	58.5 kg / 81.5 kg
X.	230 V						













AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)

FORMA FIREPLACE (with FLA4 / FLA4+ burner)



FEATURES


- FLA4/FLA4+ technical features
- Zero clearance installation in combustible materials
- Heat deflector mount TV above the fireplace
- 7 lenghts and 7 arrangement options
- Easy installation
- Higher side glass panels available in Tunnel, Room Divider and Island models


OPTIONAL ACCESSORIES

- Decorative tray with logs or stones
- Smart Home System module



	FORMA FIREPLACE WITH FLA4 / FLA4+ BURNER						
MILITHE	BURNER 590 mm FIREPLACE 800 mm	BURNER 790 mm FIREPLACE 1000 mm	BURNER 990 mm FIREPLACE 1200 mm	BURNER 1190 mm FIREPLACE 1500 mm	BURNER 1490 mm FIREPLACE 1800 mm	BURNER 1990 mm FIREPLACE 2300 mm	BURNER 2490 mm FIREPLACE 2700 mm
+4+	max. 3.1 kW	max. 4.4 kW	max. 7.0 kW	max. 9.4 kW	max. 13.0 kW	max. 18.0 kW	max. 22.5 kW
6	FLA4 3.1 L FLA4+ 9.6 L	FLA4 4.3 L FLA4+ 13.4 L	FLA4 5.5 L FLA4+ 17.2 L	FLA4 6.8 L FLA4+ 21.0 L	FLA4 8.6 L FLA4+ 26.8 L	FLA4 11.7 L FLA4+ 36.3 L	FLA4 14.8 L FLA4+ 45.9 L
l o	FLA4 max. 5.0 h FLA4+ max. 16.0 h	FLA4 max. 8.0 h FLA4+ max. 25.0 h	FLA4 max. 8.0 h FLA4+ max. 26.0 h	FLA4 max. 9.0 h FLA4+ max. 30.0 h	FLA4 max. 9.0 h FLA4+ max. 30.0 h	FLA4 max. 10.0 h FLA4+ max. 31.0 h	FLA4 max. 10.0 h FLA4+ max. 31.0 h
	min. 31 m³	min. 44 m ³	min. 70 m ³	min. 94 m³	min. 130 m³	min. 180 m³	min. 225 m ³
×.	230 V						












AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)

PANORAMA FIREPLACE



FEATURES

- Automatic refilling system
- External control panel
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Glass enclosed
- Glass foam granulate included
- Zero clearance
- CO₂ sensor
- Finish: black powder coating
- Smart Home System compatible


OPTIONAL ACCESSORIES

- Decorative ceramic logs / white stones with glowing fibers
- Smart Home System module



	PANORAMA
WHITE WAS	BURNER 990 mm
+4+	max. 7.0 kW
۵	5.5 L
	max. 10.0 h
	min. 70 m³
X	230 V







AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)

COMET BURNER



PILLAR (with Comet burner)



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- CO₂ sensor
- Top finish: black powder coating
- Smart Home System compatibile
- Custom Pillar housing

OPTIONAL ACCESSORIES

Smart Home System module

	COMET BURNER / PILLAR
+4+	max. 6.6 kW
٥	8.8 L
L D	max. 17 h
	min. ÓÓ m³
jš.	230 V



AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)

UFO FREESTANDING (with FLA4 990 burner)



UFO SUSPENDED (with FLA4 990 burner)



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- CO₂ sensor
- Smart Home System compatibile
- Suspended or freestanding options

OPTIONAL ACCESSORIES

- Smart Home System module
- Trays with logs or stones

	UFO
+4+	max. 7.0 kW
	5.5 L
l o	max. 8.0 h
	min. 70 m ³
×.	230 V



AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)

STONE CORE



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Glass enclosed
- Glass foam granulate included
- Smart Home System compatible
- CO₂ sensor

OPTIONAL ACCESSORIES

- Smart Home System module
- Decorative ceramic logs and glowing fibers

AVAILABLE FINISHING VARIANTS

- 3 finish options with DEKTON by Cosentino: Kreta/Laurent/Daze
- Stone Core for custom-built housing

STONE KRETA / LAURENT / DAZE



	STONE CORE / KRETA / LAURENT / DAZE
+4+	max. 5 kW
٥	13,4 L
l o	max. 29 h
	min. 50 m³
Š.	230 V





AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)

ROCK CORE



FEATURES

- Easy refilling replacable canister
- Remote control
- 2 levels of flame
- Safety sensors
- Glass enclosed
- Glass foam granulate included
- CO₂ sensor

OPTIONAL ACCESSORIES

• Decorative ceramic logs and glowing fibers

AVAILABLE FINISHING VARIANTS

- 3 finish options with DEKTON by Cosentino: Kreta/Laurent/Daze
- Rock Stone Core for custom-built housing

ROCK KRETA / LAURENT / DAZE




	ROCK CORE / KRETA / LAURENT / DAZE				
+••	max. 3.5 kW				
٥	5 L				
l o	max. 33 h				
	min. $35 \mathrm{m}^3$				
, KK	230 V				





AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)

PRIME FIRE 2.0 BURNER



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 3 levels of flame
- Safety sensors
- Top finish: black powder coating
- Smart Home System compatibile
- CO₂ sensor

OPTIONAL ACCESSORIES

- Glass screens
- Decorative tray with logs or stones
- Adaptive frame with glass screens for Freestanding, Tunnel, Room Divider and Island arrangements
- Smart Home System module



ARRANGEMENT OPTIONS















Arrangments that require frame with glass screens



SINGLE-SIDED

LEFT / RIGHT CORNER

THREE-SIDED


AGAINST **T**HE **W**ALL

ROOM DIVIDER

TUNNEL

ISLAND

	PRIME FIRE				
WITTH	590 mm	790 mm	990 mm	1190 mm	
* () +	max. 3.1 kW	max. 4.4 kW	max. 7.0 kW	max. 9.4 kW	
٥	3.1 L	4.3 L	5.5 L	6.8 L	
L O	max. 5.0 h	max. 8.0 h	max. 8.0 h	max. 9.0 h	
	$\min.31\;m^3$	min. 44 m³	min. 70 m³	min. 94 m³	
i	19.9 kg	24.1 kg	27.5 kg	33.0 kg	
jš.	230 V				







AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)

FORMA FIREPLACE (with Prime Fire 2.0 burner)



FEATURES

- Prime Fire 2.0 technical features
- Zero clearance installation in combustible materials
- Heat deflector mount TV above the fireplace
- 4 lenghts and 7 arrangement options
- Easy installation
- Higher side glass panels available in Tunnel, Room Divider and Island models

OPTIONAL ACCESSORIES

- Decorative tray with ceramic logs or white stones
- Smart Home System module



	FORMA FIREPLACE WITH PRIME FIRE 2.0 BURNER				
MARKETER	BURNER 590 mm FIREPLACE 800 mm	BURNER 790 mm FIREPLACE 1000 mm	BURNER 990 mm FIREPLACE 1200 mm	BURNER 1190 mm Fireplace 1500 mm	
+ + +	max. 3.1 kW	max. 4.4 kW	max. 7.0 kW	max. 9.4 kW	
٥	3.1 L	4.3 L	5.5 L	PF 6.8 L	
100	max. 6.0 h	max. 9.0 h	max. 10.0 h	max. 11.0 h	
	min. 31 m³	min. 44 m³	min. 70 m³	min. 94 m³	
, K	230 V				



AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)

VERTICAL (with Neo 500 burner)



FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- CO₂ sensor
- Glass enclosed
- Logs set included

BASKET FIRE LOGS



FEATURES

- Automatic refilling system
- Freestanding
- Remote control
- 2 levels of flame
- Safety sensors
- CO₂ sensor
- Finish: black powder coating

OPTIONAL ACCESSORIES


Decorative grate

	BASKET FIRE LOGS	VERTICAL
+4+	max. 2.8 kW	max. 3.1 kW
	1.75 L	1.71
L o	max. 6.5 h	max.5 h
‡	$min.28m^3$	min. 31 m³
X.	230 V	230 V



AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)

NEO BURNER



FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- CO₂ sensor

OPTIONAL ACCESSORIES

Tray with decorative logs and glowing fibers

NEO FIREPLACE



FEATURES

- Zero clearance
- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- CO₂ sensor

DETACHABLE SIDE PANELS







OPTIONAL ACCESSORIES

• Tray with decorative logs and glowing fibers

	NEO BURNER 500 / 750 / 1000	NEO FIREPLACE 500 / 750 / 1000		
+4+	3.1 / 4.1 / 5.9 kW	3.1 / 4.1 / 5.9 kW		
	1.7 / 2.1 / 2.9 L	1.7 / 2.1 / 2.9 L		
L O	5/6/4h	5/6/4h		
1	min. 31 / 41 / 59 m³	min. 31 / 41 / 59 m³		
X.	230 V			



AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)

RETRO (with Neo 500 / 1000 burner)



FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- CO₂ sensor

OPTIONAL ACCESSORIES

Tray with decorative logs and glowing fibers

COTTAGE (with Neo 500 burner)



FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- CO₂ sensor
- Tray with decorative logs and glowing fibers

	RETRO 500 / 1000	COTTAGE
+4+	3.1 / 5.9 kW	3.1 kW
	1.7/2.9 L	1.71
L D	5 / 4 h	5 h
1	min. 31 / 59 m³	min. 31 m³
jš.	230 V	



AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)

POLARIS



FEATURES

- Removable fuel tank
- Freestanding
- Remote control
- 2 levels of flame
- Safety sensors
- CO₂ sensor
- Finish: black powder coating

OPTIONAL ACCESSORIES

Decorative ceramic logs set with glowing fibers

SCANDI



FEATURES

- Removable fuel tank
- Freestanding
- Flue connector (For optional heat extraction)
- Remote control
- 2 levels of flame
- Safety sensors
- CO₂ sensor
- Finish: black powder coating

OPTIONAL ACCESSORIES

• Decorative ceramic logs set with glowing fibers

	POLARIS	SCANDI
+4+	max. 3.5 kW	max. 4.1 kW
6	5.0 L	5.0 L
10	max. 33 h	max. 33 h
	min. 35 m³	min, 41 m³
	36.5 kg	62.0 kg
X	230 V	





WATER VAPOUR & FIREPLACES






OPTIMYST® TECHNOLOGY

DISCOVER WATER VAPOUR TECHNOLOGY FOR FIREPLACES

Optimyst technology is an advanced system that creates a highly realistic flame effect using water vapour. It offers a safe, energy-efficient, and eco-friendly alternative to traditional fireplaces, providing the ambiance of fire without actual combustion.

HOW DOES IT WORK?

An ultrasonic device produces mist, which is illuminated by the ActiveLED system, simulating real flames. Spectral lenses scatter light allowing for a full spectrum of flame colors and changes in their intensity. Multidimensional steam lighting gives a realistic flame effect, perfectly complementing any interior.



WHY WATER VAPOUR FIREPLACES?



EASY INSTALLATION WITH NO CHIMNEY



SOUND OF CRACKLING WOOD



SAFE TOUCH





ADJUSTABLE FLAME COLORS (RGB PALETTE)



CONTROLLED BY MOBILE APP OR A REMOTE



IMPROVES AIR QUALITY



UP TO 10M FLAMELINE



ECO-FRIENDLY



INDOOR WATER VAPOUR INSERT

Net Zero® fireplaces with Optimyst® Technology

COOL FLAME INSERT




FEATURES

- Removable water tank easy refilling
- Remote control
- Wi-Fi and mobile app
- Realistic sounds of burning wood
- Active LED flame color in full RGB spectrum
- Flame height regulation
- No heating function
- Finish: black powder coating
- Modular connection
- Finish: black powder coating
- Technical glass
- Aromatherapy set

OPTIONAL ACCESSORIES

- Decorative logs set
- Additional technical glass (for see-through arrangements)
- RAL top plate painting

COOL FLAME PRO INSERT



FEATURES

- Permament water connection no need for refilling
- Water filter
- Remote control
- Wi-Fi and mobile app
- Realistic sounds of burning wood
- Active LED flame color in full RGB spectrum
- Flame height regulation
- No heating function
- Finish: black powder coating
- Modular connection
- Technical glass
- Aromatherapy set

- Decorative logs set
- Additional technical glass (for see-through arrangements)
- RAL top plate painting

	COOL FLAME 500/1000/1500/2000 INSERT	COOL FLAME PRO 500/1000//1500/2000 INSERT
6	1.2 L / 2.4 L / 3.6 L / 4.8 L	Permament water connection
•	max. 12 h	limitless
i	8 kg / 14.5 kg /25 kg / 30 kg	9 kg / 15 kg / 25.5 kg / 30.5 kg
, K	23	ov





INDOOR WATER VAPOUR INSERT

Net Zero® fireplaces with Optimyst® Technology

COOL FLAME / COOL FLAME PRO FIREPLACE



FEATURES

- Features of Cool Flame / Cool Flame Pro
- Dedicated casing in 4 installation options:







Single-sided


Left/Right corner

Ihree-sided

OPTIONAL ACCESSORIES

- Decorative logs set
- RAL top plate painting

COOL FLAME / COOL FLAME PRO SEE-THROUGH FIREPLACE



FEATURES

- Features of Cool Flame / Cool Flame Pro
- Dedicated casing in 3 installation options:







OPTIONAL ACCESSORIES

- Decorative logs set
- RAL top plate painting

	COOL FLAME 500/1000 FIREPLACE	COOL FLAME PRO 500/1000 FIREPLACE
٥	1.2 L / 2.4 L	Permament water connection
	max. 12 h	limitless
i	25 kg / 37 kg	26 kg / 28 kg
, ix	23	ov

INDOOR WATER VAPOUR INSERT

Net Zero® fireplaces with Optimyst® Technology

Al (with Cool Flame insert)



AURA (with Cool Flame 500 insert)



FEATURES

- Features of Cool Flame
- Dedicated casing

OPTIONAL ACCESSORIES

Decorative logs set

FEATURES

- Features of Cool Flame
- Dedicated casing
- Glass panels on sides (open front)
- Decorative logs set included

	AI 500/1000	AURA
٥	1.2 L / 2.4 L	1.2 L
₽	max. 12 h	max. 12 h
jš.		230 V

INDOOR ELECTRIC FIRES

ASTRO FIREPLACE



FEATURES

- Remote control
- Wall switch panel
- LED colour adjustment
- Multizone LED
- 2 level heating
- 2 Side Panels included
- Resin Logs and Vivid Crystals
- Thermostat
- Auto-off timer

OPTIONAL ACCESSORIES



DETACHABLE SIDE PANELS (INCLUDED IN SET)







RIGHT CORNER



THREE-SIDED

INSTALLATION OPTIONS



	ASTRO			
WITTER STATE	850 mm	1200 mm	1500 mm	1800 mm
i	42.0 kg	59.0 kg	72.5 kg	85.0 kg
.	Two-stage heating power: 1500 W & 3000 W			
jš.		23	0 V	





GAS FIREPLACES

INDOOR COLLECTION





INDOOR GAS FIRES

LINEAR GAS FIREPLACE (Conventional Flue System)

SINATRA FIREPLACE



FEATURES

- NG or LPG gas
- Remote control
- Smart Home System compatible
- Back wall finish:
 - -Black matte steel
- Decorative accessories:
 Black vermiculite (included)
- Ceramic glass

OPTIONAL ACCESSORIES

- Custom length and shape
- Wi-Fi module

OPTIONAL ACCESSORIES











ARRANGEMENT OPTIONS



SINGLE-SIDED















LEFT CORNER

RIGHT CORNER

THREE-SIDED

TUNNEL

ROOM-DIVIDER

ISLAND

	SINATRA			
MATTER	1200 mm	1600 mm	2000 mm	2400 mm
+4+	(NG) max. 10.3 kW (LPG) max. 9.5 kW	(NG) max. 15.0 kW (LPG) max. 14.3 kW	(NG) max. 19.7 kW (LPG) max. 19.0 kW	(NG) max. 19.8 kW (LPG) max. 20.0 kW
GAS	(NG) max. 1.09 m³/h (LPG) max. 0.75 kg/h	(NG) max. 1.58 m³/h (LPG) max. 1.12 kg/h	(NG) max. 2.09 m³/h (LPG) max. 1.50 kg/h	(NG) max. 2.09 m³/h (LPG) max. 1.57 kg/h
Ø.	Conventional			
, K	230 V			


^{*}Antireflective glass available only for 1200, 1600 and 2000 length













OUTDOOR / INDOOR ETHANOL FIRES



AUTOMATIC ETHANOL FIREPLACES (Net Zero® fireplace with BEV® Technology)

CABO BURNER




FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi
- 6 levels of flame
- Safety sensors
- Weather resistant

OPTIONAL ACCESSORIES

Protective fabric cover

CABO KRETA / LAURENT / DAZE




FEATURES

- Cabo burner technical features
- 3 finish options with **DEKTON**" by Cosentino: Daze/Laurent/Kreta

OPTIONAL ACCESSORIES

Protective fabric cover

	CABO BURNER / KRETA / LAURENT / DAZE
+4+	max. 9.4 kW
٥	5 L
	max. 8 h
1	min. 94 m³ (if used indoors)
, K	230 V



OUTDOOR / INDOOR ETHANOL FIRES



FIREPLACES IN TABLE (Net Zero® fireplace with BEV® Technology)

CABO TABLE LAURENT / KRETA / DAZE



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Weather resistant


OPTIONAL ACCESSORIES

Protective fabric cover

AVAILABLE FINISHING VARIANTS

• 3 finish options with **DEKTON** by Cosentino: Laurent/Daze/Kreta

	CABO TABLE LAURENT / KRETA / DAZE
+4+	max. 9.4 kW
	10.5 L
L D	max. 15 h
1	min. 94 m³
, K	230 V





OUTDOOR / INDOOR ETHANOL FIRES



AUTOMATIC ETHANOL FIREPLACES (Net Zero® fireplace with BEV® Technology)

PORTO CORE



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Weather resistant
- Portable includes wheels

OPTIONAL ACCESSORIES

Protective fabric cover

PORTO KRETA / LAURENT / DAZE




FEATURES

- Porto core technical features
- 3 finish options with DEKTON by Cosentino: Daze/Laurent/Kreta

OPTIONAL ACCESSORIES

• Protective fabric cover

	PORTO CORE / KRETA / LAURENT / DAZE
+4+	max. 3.7 kW
	5 L
10	max, 14 h
1	min. 37 m³ (if used indoors)
,ŠK	230 V










GAS FIREPLACES (With automatic control system)


GALAXY 1150 / 2000 BURNER



FEATURES

- Automatic control system
- Remote control
- Wall switch panel
- Smart home compatible
- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Thermocouple
- Smooth flame height regulation
- Easy to install

GALAXY DAZE / LAURENT / KRETA



FEATURES

- Galaxy burner technical features
- 3 finish options with DEKTON by Cosentino: Daze/Laurent/Kreta



	GALAXY 1150 BURNER / DAZE / LAURENT / KRETA	GALAXY 2000 BURNER
+4+	(NG) max. 10.1kW (LPG) max. 13.4kW	(NG) max. 18.6 kW (LPG) max. 22 kW
GAS	(NG) max. 0.96 m³/h (LPG) max. 0.95 kg/h	(NG) max. 1.77 m³/h (LPG) max. 1.56 kg/h
\bigcirc	(NG) 20 mbar (LPG) 37 mbar	(NG) 20 mbar (LPG) 37 mbar





GAS FIREPLACES (With automatic control system)

GALAXY TABLE LAURENT / KRETA / DAZE



FEATURES

- Automatic control system
- Remote control
- Smart home compatible
- Fuel variants to choose before purchase:
 Gas Cylinder (propane or propane-butane) or
 Natural Gas
- Thermocouple
- Smooth flame height regulation
- Easy to install

AVAILABLE VARIANTS

• 3 finish options with **DEKTON*** by Cosentino: Laurent/Kreta/Daze

PIVOT LAURENT / KRETA / DAZE



FEATURES

- Automatic control system
- Remote control
- Smart home compatible
- Fueled with propane or propane-butane
- Thermocouple
- Smooth flame height regulation
- Easy to install

AVAILABLE VARIANTS

 3 finish options with DEKTON' by Cosentino: Daze/Laurent/Kreta




	GALAXY TABLE LAURENT / KRETA / DAZE	PIVOT LAURENT / KRETA / DAZE
+4+	(NG) max. 10.1kW (LPG) max. 13.4kW	(LPG) max. 11.8 kVV
GAS	(NG) max. 0.96 m³/h (LPG) max. 0.95 kg/h	(LPG) max. 0.93 kg/h
()	(NG) 20 mbar (LPG) 37 mbar	(LPG) 37 mbar





GAS FIREPLACES (With manual control system)


GALIO INSERT AUTOMATIC



FEATURES

- Fuel variants to choose before purchase:
 Gas Cylinder (propane or propane-butane) or
 Natural Gas
- Automatic control:
 - remote control included
 - wall switch panel
 - SHS compatible
- Thermocouple
- Smooth flame height regulation

GALIO BLACK / CORTEN AUTOMATIC



FEATURES

- Galio insert automatic technical features
- 2 finishing options: corten or black steel




	GALIO INSERT AUTOMATIC		GALIO BLACK / CORTEN AUTOMATIC
WITHIE	1000 mm	2000 mm	1140 mm
+4+	(NG) max. 9.4 kW	(NG) max. 16.5 kW	(NG) max. 9.4 kW
	(LPG) max. 11.8 kW	(LPG) max. 16.5 kW	(LPG) max. 11.8 kW
GAS	(NG) max. 1.0 m³/h	(NG) max. 1.75 m³/h	(NG) max. 1.0 m³/h
	(LPG) max. 0,93 kg/h	(LPG) max. 1.30 kg/h	(LPG) max. 0.93 kg/h
	(NG) 20 mbar	(NG) 20 mbar	(NG) 20 mbar
	(LPG) 37 mbar	(LPG) 37 mbar	(LPG) 37 mbar
i	21.0 kg	33.0 kg	31.0 kg





GAS FIREPLACES (With manual control system)

GALIO INSERT MANUAL



FEATURES

- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Manual control
- Thermocouple
- Smooth flame height regulation

GALIO BLACK / CORTEN MANUAL



FEATURES

- Galio insert manual technical features
- 2 finishing options: corten or black steel



	GALIO INSERT MANUAL / GALIO BLACK MANUAL / GALIO CORTEN MANUAL
+4+	(NG) max. 13.6 kW (LPG) max. 11.8 kW
GAS	(NG) max. 1.22 m³/h (LPG) max. 0.93 kg/h
()	(NG) 20 mbar (LPG) 37 mbar
i	13.0 kg / 31.0 kg





GAS FIREPLACES (With automatic control system)

GALIO STAR INSERT AUTOMATIC



GALIO STAR CORTEN/BLACK AUTOMATIC



FEATURES

- Automatic control system
- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Remote control
- Wall switch panel
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- For custom-built housing
- Easy to install


FEATURES

- Galio star insert automatic technical features
- 2 finishing options: Corten or black steel



	GALIO STAR INSERT AUTOMATIC	GALIO STAR CORTEN AUTOMATIC GALIO STAR BLACK AUTOMATIC		
+4+	(NG) max. 16.4 kW (LPG) max. 17.3 kW			
GAS	(NG) max. 1.5 m³/h (LPG) max. 1.4 kg/h			
	(NG) 20 mbar (LPG) 37 mbar			
i	17.0 kg	37.0 kg		





GAS FIREPLACES (With automatic control system)

STELLA INSERT MANUAL



FEATURES

- Manual control system
- Fueled with propane or propane-butane
- Thermocouple
- Smooth flame height regulation
- Decorative stones
- For custom-built housing

STELLA TABLE DAZE/LAURENT/KRETA MANUAL



FEATURES

- Stella insert manual technical features
- 3 finish options with DEKTON by Cosentino: Daze/Laurent/Kreta



		STELLA TABLE MANUAL				
WWW	500 mm	600 mm	800 mm	954 mm		
+4+	(LPG) max. 5.9 kW	(LPG) max. 12.7 kW	(LPG) max. 22.0 kW	(LPG) max. 12.7 kW		
GAS	(LPG) max. 0.36 kg/h	(LPG) max. 0.9 kg/h	(LPG) max. 1.56 kg/h	(LPG) max. 0.9 kg/h		
\bigcirc	(LPG) 37 mbar					





GAS FIREPLACES (With automatic control system)

STELLA INSERT AUTOMATIC



FEATURES

- Fuel variants to choose before purchase:
 Gas Cylinder (propane or propane-butane)
 or Natural Gas
- Automatic control:
 - remote control included
 - wall switch panel
 - SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorative stones
- For custom-built housing

STELLA TABLE DAZE/LAURENT/KRETA AUTOMATIC



FEATURES

- Stella insert automatic technical features
- 3 finish options with DEKTON* by Cosentino: Daze/Laurent/Kreta



		STELLA TABLE AUTOMATIC				
WINTER TO	500 mm	600 mm	800 mm	954 mm		
+4+	(NG) max. 4.7 kW (LPG) max. 5.1 kW	(NG) max. 9.5 kW (LPG) max. 10.0 kW	(NG) max. 16.4 kW (LPG) max. 17.3 kW	(NG) max. 16.4 kW (LPG) max. 17.3 kW		
GAS	(NG) max. $0.5 \text{ m}^3/\text{h}$ (LPG) max. 0.4 kg/h	(NG) max. 0.85 m³/h (LPG) max. 0.78 kg/h	(NG) max. 1.47 m³/h (LPG) max. 1.35 kg/h	(NG) max. 1.47 m³/h (LPG) max. 1.35 kg/h		
	(NG) 20 mbar (LPG) 37 mbar					





GAS FIREPLACES (With automatic control system)

OIA LAURENT / KRETA / DAZE



FEATURES

- Fueled with propane or propane-butane
- Thermocouple
- Tempered glass
- Anti-tilt valve
- Decorated with black diamond stones
- Freestanding

AVAILABLE VARIANTS

3 finish options with DEKTON*
 by Cosentino: Daze/Laurent/Kreta

OPTIONAL ACCESSORIES



ZOIA LAURENT / KRETA / DAZE



FEATURES

- Fueled with propane or propane-butane
- Thermocouple
- Tempered glass
- Anti-tilt valve
- Decorated with black diamond stones
- Freestanding

AVAILABLE VARIANTS

• 3 finish options with **DEKTON*** by Cosentino: Daze/Laurent/Kreta




	OIA DAZE /LAURENT / KRETA	ZOIA DAZE /LAURENT / KRETA	
+4+	(LPG) max. 7.0 - 10.0 kW		
GAS	(LPG) max. 0.4 - 0.5 kg/h		
	(LPG) 37 mbar		





GAS FIREPLACES (With automatic control system)


MICO MANUAL



FEATURES

- Manual control system
- Fueled with propane or propane-butane
- Thermocouple
- Smooth flame height regulation
- Decorative stones
- For custom-built housing

MICO AUTOMATIC



FEATURES

- Fuel variants to choose before purchase:
 Gas Cylinder (propane or propane-butane)
 or Natural Gas
- Automatic control:
 - remote control included
 - wall switch panel
 - SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorative stones
- For custom-built housing



	MICO MANUAL			MICO AUTOMATIC		
MARKET	500 mm	600 mm	800 mm	500 mm	600 mm	800 mm
+4+	(LPG) max. 5.9 kW	(LPG) max. 12.7 kW	(LPG) max. 22.0 kW	(NG) max. 4.7 kW (LPG) max. 5.1 kW	(NG) max. 9.5 kW (LPG) max. 10.0 kW	(NG) max. 16.4 kW (LPG) max. 17.3 kW
GAS	(LPG) max. 0.36 kg/h	(LPG) max. 0.9 kg/h	(LPG) max. 1.56 kg/h	(NG) max. 0.5 m³/h (LPG) max. 0.4 kg/h	(NG) max. 0.85 m³/h (LPG) max. 0.78 kg/h	(NG) max. 1.47 m³/h (LPG) max. 1.35 kg/h
(i)	(LPG) 37 mbar			(NG) 20 mbar (LPG) 37 mbar		





GAS FIREPLACES (With automatic and manual control system)

GALIO H INSERT AUTOMATIC



FEATURES

- Automatic control system
 - Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Remote control
- Wall switch panel
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- Easy to install
- For custom-built housing


OPTIONAL ACCESSORIES








FIKA



FEATURES

- Fueled with propane or propane-butane
- Thermocouple
- Tempered glass
- Anti-tilt valve
- Decorated with black diamond stones
- Freestanding
- Glass panels
- Glass top plate



	GALIO H INSERT AUTOMATIC	FIKA	
+4+	(NG) max. 9.4 kW (LPG) max. 11.8 kW	(LPG) max. 7.0 - 10.0 kW	
GAS	(NG) max. 1.0 m³/h (LPG) max. 0.9 kg/h	(LPG) max. 0.50 - 0.65 kg/h	
()	(NG) 20 mbar (LPG) 37 mbar	(LPG) 37 mbar	





GAS FIREPLACES (With automatic and manual control system)

LIGHTHOUSE



FEATURES

- Fueled with propane or propane-butane
- Thermocouple
- Tempered glass
- Anti-tilt valve
- Decorated with black diamond stones
- Freestanding



	LIGHTHOUSE	
+4+	(LPG) max. 7.0 - 10.0 kW	
GAS	(LPG) max. 0.50 - 0.65 kg/h	
	(LPG) 37 mbar	
i	27.5 kg	





OUTDOOR / INDOOR ETHANOL FIRES COMMERCE TECHNOLOGYTM (Absorbent Ceramic Fibers)



FEATURES

- Easy refilling system
- Safe burning technology
- No electricity required



	ТОТЕМ	JAR	RONDO	SIMPLE
WITH THE	[ØxH] 395 x 1070 mm	[ØxH] 410 x 795 mm	[ØxH] 412 x 412 mm	[ØxH] 308 x 418 mm
i	24.5 kg	41.5 kg	7.0kg	6.5 kg
+4+	max. 2.5 kW	max. 2.5 kW	max. 2.5 kW	max. 2.5 kW
٥	3.0 L	3.0 L	3.0 L	1.5 L
L D	max. 7 h	max. 7 h	max. 7 h	max. 3.5 h
	min. 25 m³	min. 25 m³	min. 25 m³	min. 25 m³

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not initiated to the warranty expressed therein. No license, express or implied, by estappel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.

© Copyright 2025, Planika Sp. z o.o. All rights reserved.